


ABSTRACT OF THE DISCLOSURE

A fluorosulfonyl group-containing compound having a high polymerization reactivity, a process for its production, a sulfonyl group-containing polymerizable monomer led
 5 from the sulfonyl group-containing compound, and a polymer obtainable by polymerizing the sulfonyl group-containing polymerizable monomer, are provided.

A compound (3) is fluorinated to form a compound (4), and then, the compound (4) is subjected to a
 10 decomposition reaction to produce a compound (5). A preferred compound (5-1) of the compound (5) is thermally decomposed to produce a compound (7-1) having a high polymerization reactivity.



15 wherein R^{A} is a bivalent organic group such as a fluoroalkylene group, R^{AF} is a group having R^{A} fluorinated, or the same group as R^{A} , each of R^{B} to R^{D} which are independent of one another, is a hydrogen atom, etc.,

each of R^{BF} to R^{DF} is a fluorine atom, etc., R^E is a monovalent organic group, R^{EF} is a group having R^E fluorinated, or the same group as R^E , E is a bivalent connecting group, E^F is the same group as E , or a group
5 having E fluorinated, E^{F1} is a group formed by scission of E^F , each of X^1 to X^3 is a hydrogen atom, etc., and each of X^{1F} to X^{3F} is a fluorine atom, etc.